

CAMERA SYSTEM DIGITAL

DISTRIBUTOR: DEFENSE LOGISTICS AGENCY

MANUFACTURER: OLYMPUS AMERICA

Manufacturer Model# D-620L

Distributor's PHONE: (269) 961-7766 FAX: (269) 961-5305

Manufacturer's PHONE: (484) 896-5000 FAX: (484) 896-7164

Distributor's Website: [<http://www.dla.mil>](http://www.dla.mil)

Manufacturer's Website: [<http://www.olympusamerica.com>](http://www.olympusamerica.com)

Item Web Link:

[<http://www.olympusamerica.com/cpg_section/cpg_archived_product_details.asp?id=98>](http://www.olympusamerica.com/cpg_section/cpg_archived_product_details.asp?id=98)

AAC 'Y' ITEM NSN 6720-01-467-7996

USAMMA POC: Customer Relationship Management 301-619-6901/4301 - DSN 343-6901/4301

UNIT PRICE: \$956.84

System Description: A device consisting of a camera, still picture and digital imaging equipment of various configurations designed to capture images directly into a storage unit with immediate availability for viewing or transmission.

Features:

Control images like you would with a great film camera:

- Control flash exposures automatically with the intelligent six-mode flash, choosing between the built-in flash and an external flash
- Choose between automatic focus, or three manual quick-focus settings
- Control color with through-the-lens, automatic white balance or six-step manual override from 3000K to 6500K
- Adjust exposure with +/- 3-step control
- Incorporate professional external flash equipment using PC-synch connector
- Choose between center-weighted metering and precise spot metering to compensate for difficult lighting conditions
- Threaded lens barrel for optional telephoto, wide angle, macro lenses and many filters

Discover digital power and convenience:

- Preview images immediately with built-in LCD
- Fire off a series of five shots at any resolution in less than 2 seconds with the burst-shooting mode, as quickly as you can compose and shoot in normal photography
- Three preset focus settings make quick adjustments easy
- Three recording compression levels let you define image quality
- Reusable SmartMedia Cards available in 2, 4, 8, 16 or 32 MB
- Download shots directly to a computer using the included serial cable or FlashPath floppy disk adapter
- Fully integrated low-power mode extends battery life

The quality construction you expect from Olympus:

- Versatile 3X 9.2 to 28mm f2.8-3.9 optical zoom lens (36-110mm equivalent)
- Aspherical, all-glass lens system provides the highest quality images
- Optical SLR viewfinder provides the most accurate way to compose and focus the photograph
- Optical viewfinder incorporates dioptic correction for added viewfinder sharpness
- NiMH rechargeable batteries and charger included



**CAMERA SYSTEM DIGITAL
PART # D-620L
NSN 6720014677996**



**CAMERA SYSTEM DIGITAL (BACK)
PART # D-620L
NSN 6720014677996**

CAMERA SYSTEM DIGITAL

PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	Height (Inches)	2.2
	Width (Inches)	4.5
	Length (Inches)	5.1
	Cube (Cubic Feet)	0.0292
	Weight	16.6 oz
Ship Dimensions	Height (Inches)	0
	Width (Inches)	0
	Length (Inches)	0
	Cube (Cubic Feet)	0
	Weight	2.25
Storage Temp		-4°F to 140°F
Operating Temp		22°F to 104°F
Storage Humidity		10-90%
Operating Humidity		20-90%
Amps		
Watts		
Power Requirements	Camera comes with four NiMH AA batteries and charger. Can also use AA alkaline or AA NiCd batteries. Manganese and lithium batteries cannot be used.	
Notes		

**CAMERA SYSTEM DIGITAL
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Olympus America	DIST PN Defense Logistics Agency	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6720014677996		Camera System Digital		D-620L	1	EA	\$956.84	\$956.84	N/A
	Recommended storage temperature are - 4° to 115°F	Battery rechargeable NiMH	200728-410		1	4/PG	Incl w/NSN 7996	Incl w/NSN 7996	N/A
	NOT an AC adapter for digital camera	Cable 110VAC for Battery Charger	200670-410		1	EA	Incl w/NSN 7996	Incl w/NSN 7996	N/A
	includes 4 Ni-MH rechargeable batteries	Charger & Battery Set Ni-MH rechargeable (4AA)	200899-410		1	EA	Incl w/NSN 7996	Incl w/NSN 7996	36
6760014677065		Case Photo Equipment	4139 CS-20		1	EA	Incl w/NSN 7996	Incl w/NSN 7996	N/A
7610015437003	download below	Literature Operator			1	EA	Incl w/NSN 7996	Incl w/NSN 7996	N/A

**CAMERA SYSTEM DIGITAL
WEB LINKS**

Click Below for Accessories Brochure

<http://www.olympusamerica.com/cpg_section/cpg_archived_accessories.asp?id=98&ct=all>

Click Below for Operator Manual

<<http://www.olympusamerica.com/files/d620lmanual.pdf>>